



检测报告

TEST REPORT

浙江为华检测技术服务有限公司

Zhejiang Weihua Testing Services Ltd

浙江省嘉兴平湖市新兴二路 988 号 4 号楼 201 室

Tel: +86 0573 8525 5585 E-mail: qingfengtai@cnalt.group Website: www.wtilab.com

检测报告

报告编号: WTI24018033

报告日期:2024 年 01 月 06 日

第 1 页 共 5 页

公司名称 : 苍南县俊驰服饰有限公司
公司地址 : 浙江省温州市苍南县钱库镇万洋工业区 31 栋 302
样品名称 : 保暖套装
款号 : ----
颜色 : ----
商标/品牌 : 宸筱
制造商 : ----
生产国 : ----
出口国 : ----
其他声明 : ----
样品数量 : 1pcs
收样日期 : 2024 年 01 月 04 日
检测周期 : 2024 年 01 月 04 日-2024 年 01 月 05 日

检测标准	判定依据	结论
FZ/T 01057.2-2007 FZ/T 01057.3-2007 FZ/T 01057.4-2007 GB/T 2910.20-2009 FZ/T 01026-2017	-	-
GB 18401-2010	GB 18401-2010 B 类	合格

批准:



查看在线报告



为华检测

冯虹莹

检测报告

报告编号: WTI24018033

报告日期:2024 年 01 月 06 日

第 2 页 共 5 页

详细测试结果:

1、纤维含量的测定

序号	检测项目	测试部位	检测标准	实测结果(%)
1	纤维含量 (结合公定回潮率)	面层	FZ/T 01057.2-2007 FZ/T 01057.3-2007 FZ/T 01057.4-2007 GB/T 2910.20-2009 FZ/T 01026-2017	聚酯纤维 92.6 氨纶 7.4
		里层		聚酯纤维 82.8 粘纤 8.0 氨纶 6.8 桑蚕丝 1.5 绵羊毛 0.9

2、GB 18401-2010《国家纺织产品基本安全技术规范》

序号	检测项目	检测标准	实测结果			要求值 #	单项判断
			参数	结果			
1	摩擦色牢度（干摩）	GB/T 3920-2008	沾色等级	纵向	4-5	≥3	合格
				横向	4-5		
2	耐汗渍色牢度（酸）	GB/T 3922-2013	变色等级	4-5		≥3	合格
			沾色等级	聚酯	4-5		
				粘纤	4-5		
3	耐汗渍色牢度（碱）	GB/T 3922-2013	变色等级	4-5		≥3	合格
			沾色等级	聚酯	4-5		
				粘纤	4-5		
4	耐水色牢度	GB/T 5713-2013	变色等级	4-5		≥3	合格
			沾色等级	聚酯	4-5		
				粘纤	4-5		
5	pH 值	GB/T 7573-2009	-	6.7		4.0~8.5	合格
6	甲醛含量 ^a	GB/T 2912.1-2009	mg/kg	ND		≤75	合格
7	异味	GB 18401-2010 6.7	-	无		无	合格
8	可分解致癌芳香胺染料 ^b	GB/T 17592-2011	mg/kg	<5 见附表 1		禁用	合格
结论				合格			

注: 1.# 引用 GB 18401-2010《国家纺织产品基本安全技术规范》中直接接触皮肤的产品(B类)的基本安全技术。

2.“ND”表示未检出或低于限值。

3.^a方法检出限 = 20mg/kg。

4.^b方法检出限 = 5mg/kg。

检测报告

报告编号: WTI24018033

报告日期:2024 年 01 月 06 日

第 3 页 共 5 页

附表 1:

化学文摘编号	中文名称	结果(mg/kg)
92-67-1	4-氨基联苯	ND
92-87-5	联苯胺	ND
95-69-2	4-氯邻甲苯胺	ND
91-59-8	2-萘胺	ND
97-56-3	邻氨基偶氮甲苯	ND
99-55-8	2-氨基-4-硝基甲苯	ND
106-47-8	对氯苯胺	ND
615-05-4	2,4-二氨基苯甲醚	ND
101-77-9	4,4-二氨基二苯甲烷	ND
91-94-1	3,3-二氯联苯胺	ND
119-90-4	3,3-二甲氧基联苯胺	ND
119-93-7	3,3'-二甲基联苯胺	ND
838-88-0	3,3'-二甲基-4,4'-二氨基二苯甲烷	ND
120-71-8	2-甲氧基-5-甲基苯胺	ND
101-14-4	4,4'-亚甲基-二-(2-氯苯胺)	ND
101-80-4	4,4'-二氨基二苯醚	ND
139-65-1	4,4'-二氨基二苯硫醚	ND
95-53-4	邻甲苯胺	ND
95-80-7	2,4-二氨基甲苯	ND
137-17-7	2,4,5-三甲基苯胺	ND
90-04-0	邻氨基苯甲醚	ND
95-68-1	2,4-二甲基苯胺	ND
87-62-7	2,6-二甲基苯胺	ND
60-09-3	4-氨基偶氮苯	ND

- 注: 1.方法检出限 = 5 mg/kg。
2.“ND”表示未检出或低于限值。
3.限量值 ≤ 20 mg/kg。

检测报告

报告编号: WTI24018033

报告日期:2024 年 01 月 06 日

第 4 页 共 5 页

样品图片:

图片 1



检测报告

报告编号: WTI24018033

报告日期:2024 年 01 月 06 日

第 5 页 共 5 页

注意事项

Notes

1.委托检验仅对来样负责,不承担其他连带责任。

The commissioned inspection is only responsible for the samples and does not bear other joint liabilities.

2.对检验报告若有异议,应在收到报告之日起 15 日内向我司提出,逾期不再受理。

Any dispute should be raised within 15 days after receiving the report, and will not be accepted after the deadline.

3.报告书未加盖检测单位检验检测专用章无效。

The report is invalid without authorized stamp.

4.本报告不具有对社会的证明作用。

This report is for reference only.

5.报告书涂改无效。

This report is invalid if altered.

6.客户提供的信息 (包括样品信息),本公司/中心不对其真实性负责。

Our company does not accept any responsibility for the authenticity of the information supplied by customers (including sample information).

7.未经本公司/中心书面批准不得部分复制本报告,全部复制除外。

The report shall not be duplicated separately or partly, without prior written permission approved by WTI, except duplicated in full version.

8.未经检验机构同意,委托人不得擅自使用检验结果进行不当宣传。

Part copy report is invalid without the approval of the written documents of the testing organization.

*****测试报告完结*****

***** END OF TEST REPORT*****

浙江为华检测技术服务有限公司

Zhejiang Weihua Testing Services Ltd

浙江省平湖市新兴二路 988 号 4 号楼 201 室

Room 201,building 4,pinghu science and technology pioneer park,no.988,xinxing second road,pinghu city,jiaxing,China

Tel: +86 0573 8525 5585 E-mail: qingfengtai@cnaif.group Website: www.wtilab.com